## Safety Data Sheet

¥				
SECTION 1: Product an	d company identification			
Product name	: CJ Industrial Cleaner			
Use of the substance/mixture	: Cleaner			
Product code	: 0238			
Company	: Continental Research Corp. PO Box 15204 St. Louis, MO 63110 - USA T (800) 325-4869			
Emergency number	: CHEM-TEL: 888-255-3924			
SECTION 2: Hazards id	entification			
2.1. Classification of the su	bstance or mixture			
GHS-US classification				
Met. Corr. 1 H290				
Acute Tox. 4 (Oral) H302 Eye Dam. 1 H318	cute Tox. 4 (Oral) H302			
Full text of H statements : see s	section 16			
2.2. Label elements				
GHS-US labeling				
Hazard pictograms (GHS-US)	GHS05 GHS07			
Signal word (GHS-US)	: Danger			
Hazard statements (GHS-US)	: May be corrosive to metals Harmful if swallowed Causes serious eye damage			
<ul> <li>recautionary statements (GHS-US)</li> <li>Keep only in original container Wash thoroughly after handling Do not eat, drink or smoke when using this product Wear eye protection, protective clothing, protective gloves If swallowed: Call a doctor, a POISON CENTER if you feel unwell If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a doctor, a POISON CENTER Rinse mouth Absorb spillage to prevent material damage Store in corrosive resistant container with a resistant inner liner Dispose of contents/container to comply with local/regional/international regulations</li> </ul>				
2.3. Other hazards				

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## **SECTION 3: Composition/Information on ingredients**

### 3.1. Substance

#### Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Urea Monohydrochloride (Organic Acid Salt)	(CAS No) 506-89-8	15-40	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Anti-Staining Solution	(CAS No) Proprietary	1-5	Eye Irrit. 2A, H319
UNDECETH-5	(CAS No) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Safety Data Sheet

<b>4.1. Description of first aid measures</b> First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	: If you feel unwell, se	eek medical advice (show the label where possible).	
First-aid measures after inhalation First-aid measures after skin contact		eek medical advice (show the label where possible)	
First-aid measures after skin contact	: Remove person to t		
		fresh air and keep comfortable for breathing.	
First-aid measures after eye contact	: Rinse skin with wate	er/shower.	
		ith water for several minutes. Remove contact lenses, if present a nmediately call a poison center or doctor/physician.	and easy to do.
First-aid measures after ingestion	: Rinse mouth with w you feel unwell.	vater. Do NOT induce vomiting. Call a POISON CENTER or doct	or/physician if
4.2. Most important symptoms and ef			
Symptoms/injuries	: Not expected to pre	esent a significant hazard under anticipated conditions of normal	use.
Symptoms/injuries after inhalation	: May cause respirate		
Symptoms/injuries after skin contact	: Contact during a lor	ng period may cause light irritation.	
Symptoms/injuries after eye contact	: Causes serious eye	e damage. Corrosion of the eye tissue. Permanent eye damage.	
Symptoms/injuries after ingestion	: Harmful if swallowe	ed. Gastrointestinal complaints.	
4.3. Indication of any immediate med	ical attention and speci	al treatment needed	
Treat symptomatically.			
SECTION 5: Firefighting measu	Ires		
5.1. Extinguishing media		adda allaconad	
Suitable extinguishing media	: All extinguishing me	edia allowed.	
5.2. Special hazards arising from the			
Reactivity		sition may produce oxides of carbon, nitrogen and chlorine. Hydro act with certain metals at sustained temperatures about 140°F.	ogen gas may be
5.3. Advice for firefighters			
Firefighting instructions	: Exercise caution wh containers. Take ac	hen fighting any chemical fire. Use water spray or fog for cooling ccount of environmentally hazardous firefighting water.	exposed
Protection during firefighting	: Do not enter fire are	ea without proper protective equipment, including respiratory pro	tection.
SECTION 6: Accidental release	measures		
6.1. Personal precautions, protective	equipment and emerge	ancy procedures	
General measures		possible, without unnecessary risk.	
6.1.1. For non-emergency personnel			
Protective equipment		Gloves. Protective clothing.	
Emergency procedures	: Evacuate unnecess	sary personnel. Avoid contact with skin, eyes and clothing. Ventil	late spillage area.
6.1.2. For emergency responders			
Protective equipment	: Equip cleanup crew	v with proper protection.	
Emergency procedures		do so. Stop release. Ventilate area.	
6.2. Environmental precautions Avoid release to the environment. Prevent	t entry to sewers and put	olic waters.	
6.3. Methods and material for contain			
For containment		ubstance, pump into suitable containers.	
Methods for cleaning up	: Absorb spillage to p safe way, and as pe	prevent material damage. This material and its container must be er local legislation.	e disposed of in a
6.4. Reference to other sections			
No additional information available	age		
No additional information available SECTION 7: Handling and stora	age		
No additional information available SECTION 7: Handling and stora 7.1. Precautions for safe handling	: Comply with the leg understood. Use pe	gal requirements. Do not handle until all safety precautions have ersonal protective equipment as required. Do not eat, drink or sm t get in eyes, on skin, or on clothing. Handle and open the contai	oke when using
No additional information available SECTION 7: Handling and stora 7.1. Precautions for safe handling Precautions for safe handling Hygiene measures	: Comply with the leg understood. Use pe this product. Do not		oke when using

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep container closed when not in use. Store locked up.	
Incompatible products	: Strong oxidizers. alkalis. Chlorates. Nitrates.	
Incompatible materials	: Sources of ignition. Metals.	
Storage area	: Meet the legal requirements. Store in a cool area. Store in a dry area.	
Special rules on packaging	: meet the legal requirements. Keep only in original container.	

## **SECTION 8: Exposure controls/personal protection**

:

8.1. **Control parameters** 

No additional information available

#### Exposure controls 8.2.

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.



## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Physical state : Liquid Appearance : amber. Clear to hazy liquid. Odor · mild Odor threshold No data available pН · <1 : No data available Melting point Freezing point No data available Boiling point : No data available : > 200 °F Estimated Flash point Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available : No data available Explosion limits Explosive properties : No data available No data available Oxidizing properties : No data available Vapor pressure Relative density : No data available Relative vapor density at 20 °C No data available Specific gravity / density : 1.09 g/ml Solubility Soluble in water. Log Pow : No data available Log Kow : No data available Auto-ignition temperature No data available Decomposition temperature No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available VOC content : <1%

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition may produce oxides of carbon, nitrogen and chlorine. Hydrogen gas may be released upon contact with certain metals at sustained temperatures about 140°F.

## Safety Data Sheet

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

## Refer to section 10.1 on Reactivity.

## 10.4. Conditions to avoid

No additional information available

## 10.5. Incompatible materials

May be corrosive to metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

11.1. Information on toxicological effects		
Acute toxicity	:	Oral: Harmful if swallowed.
UNDECETH-5 (34398-01-1)		
LD50 oral rat		> 1400 mg/kg
Skin corrosion/irritation	:	Not classified
		pH: < 1
Serious eye damage/irritation	:	Causes serious eye damage.
		pH: < 1
Respiratory or skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Not classified
Specific target organ toxicity (repeated exposure)		: Not classified
Aspiration hazard		: Not classified
Symptoms/injuries after inhalation		: May cause respiratory irritation.
Symptoms/injuries after skin contact		: Contact during a long period may cause light irritation.
Symptoms/injuries after eye contact		: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/injuries after ingestion		: Harmful if swallowed. Gastrointestinal complaints.
Likely routes of exposure		: Skin and eyes contact

## **SECTION 12: Ecological information**

<b>12.1. Toxicity</b> UNDECETH-5 (34398-01-1)		
LC50 fish 1	< 10 mg/l	
EC50 Daphnia 1	< 10 mg/l	
ErC50 (algae)	< 10 mg/l	
<b>12.2.</b> Persistence and degradabit No additional information available	lity	
12.3. Bioaccumulative potential		
No additional information available		
SECTION 13: Disposal cor	isiderations	
13.1. Waste treatment methods		
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national r	regulations

## **SECTION 14: Transport information**

### Department of Transportation (DOT)

#### Additional information Other information

: When transported by ground, this product utilizes the exemption found under 49 CFR 173.154.

## Safety Data Sheet

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

#### SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

#### **SECTION 16: Other information**

Training advice

NFPA reactivity

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H290	May be corrosive to metals
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. NFPA fire hazard 1 - Must be preheated before ignition can occur. : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.