

SAFETY DATA SHEET

BIOTROL 12.5

1	PRODUCT AND COMPANY IDENTIFICATION
Product Identifier: Common Name: SDS Number: Revision Date: Version: Internal ID: Product Use:	BIOTROL 12.5 Mixture 1533 9/3/2015 1 301C Industrial chlorine based biocide
Supplier Details:	U. S. Water Services 12270 43rd St. NE St. Michael, MN 55376
Contact: Email: Web:	Non-emergency #: 866-663-7632 SDS@uswaterservices.com www.uswaterservices.com

EMERGENCY RESPONSE: (ChemTel) US & Canada: 800-255-3924 International: +01-813-248-0585

2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 1 B Physical, Corrosive to Metals, 1 Health, Specific target organ toxicity - Single exposure, 1

GHS Label elements, including precautionary statements

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Hazard Statements:

- H314 Causes severe skin burns and eye damage
- H290 May be corrosive to metals
- H370 Causes damage to organs

GHS Precautionary Statements:

- P234 Keep only in original container.
- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

- P363 Wash contaminated clothing before reuse.
- P404 Store in a closed container.
- P406 Store in a corrosive resistant container with a resistant inner liner.
- P501 Dispose of contents/container in accordance with local, regional, and international regulations.

Hazards not otherwise classified (HNOC) or not covered by GHS

PPE recommendation is advisory only and based on typical use conditions. An industrial hygienist or safety officer familiar with the specific situation of anticipated use must determine actual PPE required when using this product (29 CFR 1910.132)

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

3

Cas#	%	Chemical Name
		Sodium hypochlorite Sodium hydroxide

4 FIRST AID MEASURES

- Inhalation: If inhaled: Remove to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration, preferably mouth-to-mouth. GET MEDICAL ATTENTION IMMEDIATELY. Symptoms of pulmonary edema can be delayed up to 48 hours after exposure.
- **Skin Contact:** If on skin: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Do not reuse clothing and shoes until cleaned. Do not apply oils or ointments unless ordered by the physician. If skin feels slippery, caustic may still be present in sufficient quantities to cause rash or burn. Continue washing skin until slick feeling is gone. Discard footwear which cannot be decontaminated. Discard contaminated leather articles such as shoes and belt.
- **Eye Contact:** If in eyes: Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Tilt head to avoid contaminating unaffected eye. Get immediate medical attention. Do not attempt to neutralize with chemical agents. Washing eyes within several seconds is essential to achieve maximum effectiveness. Oils or ointments should not be used at this time. Remove contact lenses after the first 5 minutes and continue flushing.
- Ingestion: If swallowed: If fully conscious, drink a quart of water. DO NOT induce vomiting. CALL A PHYSICIAN IMMEDIATELY. If unconscious or in convulsions, take immediately to a hospital or a physician. NEVER induce vomiting or give anything by mouth to an unconscious victim. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Do not give sodium bicarbonate, fruit juices or vinegar. If vomiting occurs spontaneously, keep airway clear and give more water.

Most important symptoms & effects (acute & delayed): No data available Indication of need for immediate medical attention: None

Special treatment needs: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be



dangerous to the person providing aid to give mouth-to-mouth resuscitation. There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

5

FIRE FIGHTING MEASURES

Flammability:	Not flammable
Flash Point:	None
Flash Point Method:	Pensky Martens Closed cup
Burning Rate:	No data available
Autoignition Temp:	No data available
LEL:	Not applicable
UEL:	Not applicable
Burning Rate: Autoignition Temp: LEL:	No data available No data available Not applicable

Extinguishing Media:

Suitable: Use extinguishing media suitable for surrounding fire.

Unsuitable: None

Hazardous combustion products: Chlorine-containing gases. Metal oxides. Oxygen. Halogenated compounds. Toxic fumes. Carbon dioxide. Carbon monoxide. Sodium oxides. Irritating and/or toxic gases. **Unusual Fire or Explosion Hazards:** OXIDIZER. May generate potentially explosive oxygen. Contact with combustible materials may cause a fire.

Special protective equipment/precautions: Wear self-contained breathing apparatus

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective equipment, emergency procedures: Avoid contact with the material. See section 8 of SDS for PPE recommendations

Environmental Precautions: Keep runoff from entering drains or waterways

Spill/Leak procedures: Contain spill or leak. Dike area if necessary to prevent spill from spreading or entering sewers and waterways. Recover as much as possible then absorb remainder with inert material. Place into closed container for disposal.

Regulatory Requirements: Dispose of recovered material in accordance with all applicable state and federal regulations.

HANDLING AND STORAGE

Handling Precautions: Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Do not swallow. Avoid breathing vapors, mists, or dust. Do not eat, drink, or smoke in work area. Wash thoroughly after handling. Empty containers retain product residue (vapor, dust, or liquid) and can be dangerous. DO NOT pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other source of ignition. They may explode and cause injury or death. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous



membranes. CORROSIVE MATERIAL. Avoid dust or mist formation. CORROSIVE MATERIAL. Store in a cool, well ventilated area, out of direct sunlight. **Storage Requirements:** Store in a drylocation away from heat. Keep away from incompatible materials. Keep containers tightly closed. Do not store in unlabeled or mislabeled containers. Relieve pressure in containers weekly. Do not freeze. Avoid temperatures greater than 70 Deg. F. Product degrades more rapidly with increasing temperature. Avoid contact with combustible materials, wood and organic materials. Avoid storage on wood floors or near wooden walls, etc.. DO NOT contaminate water, food or feed by storage or disposal. Highly corrosive to most metals with evolution of hydrogen gas. 8 **EXPOSURE CONTROLS/PERSONAL PROTECTION Engineering Controls:** Provide local exhaust ventilation as needed to control misting. **Personal Protective** HMIS PP, C | Safety Glasses, Gloves, Apron Equipment: Respiratory protection: If needed use MSHA/NIOSH approved respirator for dusts and mists. Seek professional advice prior to respirator selection and use. Follow all requirements of OSHA respirator regulations (29 CFR 1910.134) Safety Stations: Make emergency evewash stations, safety/quick-drench showers, and washing facilities available in work area. General Hygiene: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, using the toilet, or applying cosmetics. PPE recommendation is advisory only and based on typical use conditions. An industrial hygienist or safety officer familiar with the specific situation of anticipated use must determine actual PPE required when using this product (29 CFR 1910.132) **Exposure Limits:** Sodium Hypochlorite Sodium Hydroxide OSHA PEL: 1ppm (Ceiling) as Chlorine* 2 mg/m^3 (TWA) 0.5ppm (Ceiling) as Chlorine* NIOSH/REL:

9 PHYSICAL AND CHEMICAL PROPERTIES

Clear, yellow-green
Liquid
Not determined
Not determined
Not determined
Not determined
Not determined
>12
Not determined
Not determined

Odor:ChlorineSolubility:Complete in waterFreezing/Melting Pt.:appx -10FFlash Point:NoneVapor Density:Not determinedAuto-Ignition Temp:Not determinedUFL/LFL:Not determined

STABILITY AND REACTIVITY

Stability: Conditions to Avoid: Product is stable under normal storage and use conditions. Avoid exposure to light. Avoid temperatures greater than 70 Deg. F. Product

10



	degrades more rapidly with increasing temperature. Keep away from incompatibles.
Materials to Avoid:	Heavy metals. Nickel. Iron. Copper. Cobalt. Acids. Ammonia. Ammonium compounds. Hydrogen peroxide. Alum. Oxidizing agents. Reducing agents. Combustible materials. Wood. Organic materials. Organic solvents. Amines. Methanol. Cleaners. Solvents. Magnesium. Aluminum. Chromium. Carbon steel. Manganese. Steel. Tin. Zinc. Sodium sulfite. Sodium thiosulfate. Bronze. Brass. Reacts with other household
	chemicals, such as toilet bowl cleaners, pool/hot tub chemicals/materials, peroxides, brick and concrete cleaners, insecticides, windshield wash, gasoline, greases, oils, fuels, rust removers, vinegar, human and animal waste to
	produce hazardous gases such as chlorine. Ether, ammonia compounds, cloth, propane, organic polymers, ethylene glycol, sodium bisulfite, sodium hydrosulfite may release hazardous gases. Alcohols. Chlorinated
	compounds. Cyanides. Hydrocarbons. Metals such as aluminum, zinc, tin, etc. Lead. Other alkali sensitive
	metals or alloys. Organic nitro compounds. Chlorinated hydrocarbons. Fluorinated hydrocarbons. Acetaldehyde. Chlorine trifluoride. Hydroquinone. Maleic anhydride. Tetrahydrofuran. Acrolein. Phosphorous. Trichloroethylene. Leather. Wool. Phosphorous pentoxide. Halogenated compounds. Glycols. Explosives. Acrylonitrile. 1,2- Dichloroethylene. Tetrachloroethane. Organic peroxides. Sodium tetrahydroborate. Food sugars. Silver nitrate. Chloroform. Zirconium.
Hazardous Decomposition:	Chlorine-containing gases. Reacts with acids to release poisonous chlorine gas. Sodium oxide. Hypochlorous acid. Oxygen. Hydrogen chloride. Hydrogen gas. Carbon monoxide. Phosphine. Thermal decomposition may release:
Hazardous Polymerization:	Hazardous polymerization will not occur under normal conditions. Sodium hydroxide can induce hazardous polymerization of acetaldehyde, acrolein, and acrylonitrile. Contact with water may cause violent reaction with evolution of heat. To dilute: Add product slowly to lukewarm water; not water to product. Contact with acid or incompatible materials may cause a violent reaction with evolution of heat. May react with certain metals to produce flammable hydrogen gas. Contact with acids, halogenated organics, organic nitro compounds, glycols, or sodium tetrahydroborate may produce flammable hydrogen gas. Contact with 1,2-dichloroethylene, trichloroethylene, tetrachloroethane, or phosphorous can form spontaneously flammable chemicals. Reactions with various food sugars may form carbon monoxide.

TOXICOLOGICAL INFORMATION

Acute Toxicity:

11

Sodium Hypochlorite Oral LD₅₀ (rat) 8,200 mg/kg Dermal LD₅₀ (rabbit) >10,000 mg/kg Sodium Hydroxide Dermal LD₅₀ (rabbit) 1,350 mg/kgs ATE (Acute Toxicity Estimate) Dermal 27,000 mg/kg Skin Corrosion/Irritation: Corrosive Serious eye damage/irritation: Corrosive Respiratory or skin sensitization: Corrosive (Inhalation) Specific target organ toxicity (single exposure): No data available Specific target organ toxicity (repeated exposure): No data available



Aspiration hazard: No data available

Carcinogenicity: No carcinogenic effects are known for the components of this product **Germ Cell Mutagenicity:** No mutagenic effects are known for the components of this product **Teratogenicity:** No teratogenic effects are known for the components of this product

ECOLOGICAL INFORMATION

Aquatic Toxicity: Data provided is for Sodium Hypochlorite

Freshwater Fish Toxicity:

12

LC₅₀ clupea harengus 0.033 - 0.097 mg//l/96 hr, flow through bioassay (pH: 8) LC₅₀ cymatogaster aggregata 0.045 - 0.098 mg/l/96 hr, flow through bioassay (pH: 8) LC₅₀ gasterosteus aculeatus 0.141 - 0.193 mg/l/96 hr, flow through bioassay (pH: 8) LC₅₀ oncorhynchus gorbuscha 0.023 - 0.052 mg/l/96 hr, flow through bioassay (pH: 8) LC50 oncorhynchus kisutch 0.026 - 0.038 mg/l/96 hr, flow through bioassay (pH: 8) LC₅₀ oncorhynchus mykiss: 0.05-0.771 mg/L/96 hr, flow through LC₅₀ oncorhynchus mykiss: >0.03-<0.19 mg/L/96 hr, semi-static LC₅₀ oncorhynchus mykiss: 0.18-0.22 mg/L/96 hr, static LC₅₀ parophrys vetulus 0.044 - 0.144 mg/l/96 hr, flow through bioassay (pH: 8) LC₅₀ pimephales promelas 0.22 - 0.62 mg/l/96 hr, flow through bioassay (pH: 7) LC₅₀ pimephales promelas: 4.5-7.6 mg/L/96 hr, static LC₅₀ lepomis macrochirus: 0.4-0.8 mg/L/96 hr, static LC₅₀ lepomis macrochirus: 0.28-1 mg/L/96 hr, flow through Invertebrate Toxicity: EC₅₀ ceriodaphnia sp. 0.006 mg/l/24 hr EC₅₀ daphnia magna 0.07 - 0.7 mg/l/24 hr EC₅₀ daphnia magna 2.1mg/l/96 hr EC₅₀ gammarus fasciatus 4 mg/l/96 hr EC₅₀ nitocra spinipes 40 mg/l/96 hr EC₅₀ palaemonetes pugio 52 mg/l/96 hr Algae: ErC₅₀ dunaliella sp. 0.6 mg/l/24 hr ErC₅₀ dunaliella tertiolecta 0.11 mg/l/24 hr ErC₅₀ skeletonema costatum 0.095 mg/l/24 hr Elimination (persistency & degradability): Material is inorganic Bioaccumulative potential: Not expected to bioaccumulate Mobility in soil: No data available

Other adverse effects: No data available

DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations.

This material should be fully characterized for toxicity and possible reactivity prior to disposal (40 CFR 261). Use which results in chemical or physical change or contamination may subject it to regulation as a hazardous waste. Along with properly characterizing all waste materials, consult state and local regulations regarding the proper disposal of this material.

Container contents should be completely used and containers should be emptied prior to discard. Container rinsate could be considered a RCRA hazardous waste and must be disposed of with care and in full compliance with federal, state and local regulations. Larger empty containers, such as drums, should be returned to the distributor or to a drum reconditioner. To assure proper disposal of smaller empty containers, consult with state and local regulations and disposal authorities.

13



SAFETY DATA SHEET

BIOTROL 12.5

14

TRANSPORT INFORMATION

UN1791, Hypochlorite solutions, 8, PGIII, (Sodium Hypochlorite)

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT Transportation data (49 CFR 172.101)

See section 15 for information on Reportable Quantity chemicals (RQ)

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

RQ(100LBS), Sodium hypochlorite (7681-52-9) [12.5] CERCLA, CSWHS, MASS, PA, TSCA

RQ(1000LBS), Sodium hydroxide (1310-73-2) [0.2-5.0%] CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR

Regulatory CODE Descriptions

RQ = Reportable Quantity

CERCLA = Superfund clean up substance

CSWHS = Clean Water Act Hazardous substances

MASS = MA Massachusetts Hazardous Substances List

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

OSHAWAC = OSHA Workplace Air Contaminants

TXAIR = TX Air Contaminants with Health Effects Screening Level

EPA / CERCLA / SARA TITLE III:

Toxic Chemical List (SARA 313): This product does not contain any chemicals subject to routine annual toxic chemical release reporting.

Extremely Hazardous Substance (SARA 302/304): This product does not contain any extremely hazardous substances subject to emergency planning requirements.

SARA 312: Acute, Fire

RCRA: Corrosive, D002

TSCA: All components of this product are listed (or are not required to be listed) in the TSCA inventory **California Proposition 65:** This product does not contain any proposition 65 chemicals.



SAFETY DATA SHEET

BIOTROL 12.5

OTHER INFORMATION

HMIS III:Health = 3(Chronic), Fire = 0, Physical Hazard = 1HMIS PPE:C - Safety Glasses, Gloves, Apron

HMIS				
HEALTH		3		
FLAMMABILITY	(0		
PHYSICALHAZA	RD	1		
PERSONAL PROTI	ECTION	С		

Author: U.S. Water Services

Revision Notes: Updated to GHS format

Disclaimer:

16

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s). The above information is not claiming characteristics of the product in term of legal claims of performance / guarantee. This information only describes safety measures and no liability may arise from the use or application of the product described herein. This information is given in good faith and based on our current knowledge of the product.