# **SAFETY DATA SHEET**

Version 3.5 Revision Date 07/03/2014 Print Date 12/17/2014

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Cyclopentanone

Product Number : C112402
Brand : Sigma-Aldrich
Index-No. : 606-025-00-9

CAS-No. : 120-92-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

## 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour. H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P264 Wash skin thoroughly after handling.

Sigma-Aldrich - C112402 Page 1 of 8

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes, Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula : C<sub>5</sub>H<sub>8</sub>O

Molecular Weight : 84.12 g/mol
CAS-No. : 120-92-3
EC-No. : 204-435-9
Index-No. : 606-025-00-9

Hazardous components

Component	Classification	Concentration
Cyclopentanone		
	Flam. Liq. 3; Skin Irrit. 2; Eye	-
	Dam. 1; H226, H315, H318	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

## In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **5. FIREFIGHTING MEASURES**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Sigma-Aldrich - C112402 Page 2 of 8

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

## Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 120 min

Sigma-Aldrich - C112402 Page 3 of 8

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

**Appearance** Form: clear, liquid Colour: colourless

b) Odour no data available Odour Threshold no data available

no data available d) рН

Melting point/freezing point

Melting point/range: -51 °C (-60 °F) - lit.

Initial boiling point and

boiling range

130 - 131 °C (266 - 268 °F) - lit.

g) Flash point 30 °C (86 °F) - closed cup

h) Evapouration rate no data available Flammability (solid, gas) no data available Upper/lower

flammability or explosive limits no data available

Vapour pressure no data available Vapour density no data available

0.951 g/cm3 at 25 °C (77 °F) m) Relative density

n) Water solubility no data available o) Partition coefficient: nno data available octanol/water

Auto-ignition

no data available

Decomposition

temperature

no data available

temperature

no data available r) Viscosity Explosive properties no data available Oxidizing properties no data available t)

Sigma-Aldrich - C112402 Page 4 of 8

## 9.2 Other safety information

no data available

#### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks.

#### 10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Strong reducing agents

## 10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

## **Acute toxicity**

LC50 Inhalation - rat - 19,500 mg/m3

Remarks: Lungs, Thorax, or Respiration:Dyspnea. Lungs, Thorax, or Respiration:Other changes. Liver:Other changes.

Dermal: no data available

no data available

### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation

## Serious eye damage/eye irritation

Eyes - rabbit

Result: Severe eye irritation

#### Respiratory or skin sensitisation

no data available

## Germ cell mutagenicity

no data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

no data available

no data available

#### Specific target organ toxicity - single exposure

no data available

Sigma-Aldrich - C112402 Page 5 of 8

## Specific target organ toxicity - repeated exposure

no data available

## **Aspiration hazard**

no data available

#### **Additional Information**

RTECS: GY4725000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus melanotus - 2,950 mg/l - 48 h

LC0 - Leuciscus idus melanotus - 2,760 mg/l - 48 h

Toxicity to daphnia and

LC50 - Daphnia magna (Water flea) - 1,800 mg/l - 24 h

other aquatic invertebrates

## 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

no data available

## 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2245 Class: 3 Packing group: III

Proper shipping name: Cyclopentanone

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2245 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: CYCLOPENTANONE

Marine pollutant: No

**IATA** 

UN number: 2245 Class: 3 Packing group: III

Proper shipping name: Cyclopentanone

Sigma-Aldrich - C112402 Page 6 of 8

## 15. REGULATORY INFORMATION

#### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard

## **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Cyclopentanone	120-92-3	1993-04-24

## **Pennsylvania Right To Know Components**

CAS-No. Revision Date Cyclopentanone 120-92-3 1993-04-24

**New Jersey Right To Know Components** 

CAS-No. Revision Date Cyclopentanone 120-92-3 1993-04-24

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Eye Dam. Serious eye damage Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Skin Irrit. Skin irritation

#### **HMIS Rating**

Health hazard: 2
Chronic Health Hazard:
Flammability: 3
Physical Hazard 0

## **NFPA Rating**

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

#### **Further information**

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - C112402 Page 7 of 8

Preparation Information Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Revision Date: 07/03/2014 Print Date: 12/17/2014 Version: 3.5

Sigma-Aldrich - C112402 Page 8 of 8