# **Material Safety Data Sheet**



TRI-STAR L-2000 XP

# Section 1. Chemical product and company identification

Trade name	: TRI-STAR L-2000 XP
Product use	: Laundry detergent
Supplier	: Ecolab Co.
	5105 Tomken Road
	Mississauga ON L4W 2X5
	1-800-352-5326
Code	: 903550
Date of issue	02-June-2008
	EMERGENCY HEALTH INFORMATION: 1-800-328-0026
	Outside United States and Canada CALL 1-651-222-5352 (in USA)

### Section 2. Composition, information on ingredients

Name	CAS number % by weight
sodium hydroxide	1310-73-2 15 - 40
alcohols, c12-16, ethoxylated	68551-12-2 10 - 30
d-glucopyranose, oligomeric, c10-16-alkyl glycosides	110615-47-9 0.5 - 1.5

# Section 3. Hazards identification

Physical state	: Liquid. [Emulsion.]
Emergency	: DANGER!
overview	
	CAUSES RESPIRATORY TRACT, DIGESTIVE TRACT, EYE AND SKIN BURNS. MAY BE HARMFUL IF SWALLOWED.
	Do not ingest. Do not get in eyes, on skin or on clothing. Do not breathe vapour or spray. Use only with adequate ventilation. Keep container closed. Wash thoroughly after handling.
Routes of entry	: Skin contact, Eye contact, Inhalation, Ingestion
Potential acute healt	<u>h effects</u>
Eyes	: Corrosive to eyes.
Skin	: Corrosive to the skin.
Inhalation	: Corrosive to the respiratory system.
Ingestion	: Causes burns to mouth, throat and stomach. May be harmful if swallowed.
See toxicological inf	formation (section 11)

See toxicological information (section 11)

#### Section 4. First-aid measures

Eye contact	<ul> <li>In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention immediately.</li> </ul>
Skin contact	<ul> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.</li> </ul>
Inhalation	<ul> <li>If inhaled, remove to fresh air. If exposed person is not breathing, give artificial respiration or oxygen applied by trained personnel. Get medical attention immediately.</li> </ul>
Ingestion	<ul> <li>If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.</li> </ul>

### Section 5. Fire-fighting measures

Auto-ignition temperature	: Not available.
Flash point	: > 100°C
	Product does not support combustion.
Flammable limits	: Not available.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides
Fire-fighting media and instructions	<ul> <li>metal oxide/oxides</li> <li>Use an extinguishing agent suitable for the surrounding fire.</li> <li>Dyke area of fire to prevent runoff.</li> </ul>
instructions	In a fire or if heated, a pressure increase will occur and the container may burst.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Risk of explosion of the product in the presence of mechanical impact: Not available.

Risk of explosion of the product in the presence of static discharge: Not available.

#### Section 6. Accidental release measures

Personal precautions	: Immediately contact emergency personnel. Stop leak if without risk. Use suitable protective equipment. Keep unnecessary personnel away. Do not touch or walk through spilt material.
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	: If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dyke spilt material or otherwise contain it to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

### Section 7. Handling and storage

Handling	Do not ingest. Do not get in eyes, on skin or on clothing. Keep container closed. Use only	with
	adequate ventilation. Do not breathe vapour or mist. Wash thoroughly after handling.	
Storage	Keep out of reach of children. Keep container in a cool, well-ventilated area. Keep containe tightly closed.	۶r
	Store between the following temperatures: 10 and 40°C	

# Section 8. Exposure controls/personal protection

Engineering mea	<ul> <li>sures : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.</li> </ul>
Personal protect	ion :
Eyes	: Use chemical splash goggles. For continued or severe exposure wear a face shield over the goggles.
Hands	: Use chemical-resistant, impervious gloves.
Skin	: Use synthetic apron, other protective equipment as necessary to prevent skin contact.
Respiratory	: Wear appropriate respirator when ventilation is inadequate and occupational exposure limits are exceeded.
<u>Name</u>	Exposure limits

sodium hydroxide

CA Alberta Provincial (Canada, 10/2006). 15 min OEL: 2 mg/m<sup>3</sup> 15 minute(s). CA British Columbia Provincial (Canada, 7/2007). STEL: 2 mg/m<sup>3</sup> 15 minute(s). CA Ontario Provincial (Canada, 3/2007). CEV: 2 mg/m<sup>3</sup> CA Quebec Provincial (Canada, 12/2006). STEV: 2 mg/m<sup>3</sup> 15 minute(s).

ACGIH TLV (United States, 1/2007). C: 2 mg/m<sup>3</sup>

#### Section 9. Physical and chemical properties

### Section 10. Stability and reactivity

Stability	: The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not occur.
Conditions of instability	: Not available.
Reactivity	<ul> <li>Highly reactive or incompatible with the following materials: acids. Reactive or incompatible with the following materials: metals and moisture.</li> </ul>
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerisation	: Under normal conditions of storage and use, hazardous polymerisation will not occur.

### Section 11. Toxicological information

#### Potential acute health effects

Eyes	: Corrosive to eyes.
Skin	: Corrosive to the skin.
Inhalation	: Corrosive to the respiratory system.
Ingestion	: Causes burns to mouth, throat and stomach. May be harmful if swallowed.

#### Potential chronic health effects

Carcinogenic effects	: No known significant effects or critical hazards.			
Ingredient name Not applicable.	<u>ACGIH</u>	IARC	<u>NTP</u>	<u>OSHA</u>
Mutagenic effects	: No known significant effects or critical hazards.			

Teratogenic effects

No known significant effects or critical hazards.
 No known significant effects or critical hazards.

TRI-STAF	R L-2000 XP					Page: 4/5
Reprodu	ctive effects	: No known significant effects or critical hazards.				
Sensitiz	ation to Produ	ict : No known si	qnificant e	ffects or critica	al hazards.	
Synergistic products		: Not available.				
(toxicolo						
<b>Toxicity</b>	<u>data</u>					
<u>Ingredie</u>	nt name	<u>Test</u>	<u>Rou</u>	<u>te</u>	<u>Result</u>	<b>Species</b>
sodium h	ydroxide	LD50	Derma	al	>2000 mg/kg	Rabbit
	-	LD50	Derma	al	1350 mg/kg	Rabbit
		LD50	Oral		500 mg/kg	Rabbit
		LD50	Oral		300 to 500	Rat
					mg/kg	
		LDLo	Oral		500 mg/kg	Rabbit
arget or		: Contains material whi respiratory tract.	-	use damage d	o the following org	ans: lungs, upper
Ecotoxici						
Ingredient name		Species		<u>Perio</u>	d	<u>Result</u>
sodium hydroxide		Daphnia		48 hours		Acute EC50 156 mg/L
		Daphnia		48 hours		Acute EC50 45.4 mg/L
		Daphnia		48 ho	ours	Acute EC50 40 mg/L
		Fish	96 hours		ours	Acute LC50 189 mg/L
		Fish		96 hours		Acute LC50 72 mg/L
Sectio	on 13. Dis	sposal consider	ations			
Waste dis	sposal : Th sp pr er re	ne generation of waste sho bilt material and runoff and oduct, solutions and any b nvironmental protection and quirements. egional authorities.	ould be avo contact wi y-products	bided or minimi ith soil, waterw s should at all t	ays, drains and se imes comply with	ewers. Disposal of this the requirements of
Sectio	on 14. Tra	ansport informa	tion			
Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional infor	mation

#### APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

### Section 15. Regulatory information

WHMIS : Class E: Corrosive material

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

### Section 16. Other information

Date of issue	: 02-June-2008.
Responsible name	: Regulatory Affairs
	1-800-352-5326
Date of previous issue	: 08-June-2005.

. <u>Notice to reader</u>

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.