

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 12/06/2017

Version 2.0

SISECTION 1.Identification

Product identifier

Product number 665133

Product name EfferSan Effervescent Tablets Qty 24

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Biochemical research/analysis

Use restricted under TSCA to research and development or as analytical reagent. Uses regulated under FDA or FIFRA are not

affected.

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5) MilliporeSigma is a business of Merck KGaA, Darmstadt, Germany.

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Acute toxicity, Category 4, Oral, H302 Eye irritation, Category 2A, H319

Specific target organ systemic toxicity - single exposure, Category 3, Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

Precautionary Statements

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Mixture of inorganic and organic compounds

Hazardous ingredients

Chemical name (Concentration)

CAS-No.

troclosene sodium, dihydrate (>= 50 % - < 70 %)

51580-86-0

Exact percentages are being withheld as a trade secret.

adipic acid (>= 5 % - < 10 %)

124-04-9

Exact percentages are being withheld as a trade secret.

sodium carbonate (>= 1 % - < 5 %)

497-19-8

Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air.

Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/

shower.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath, Nausea, Vomiting, Pain

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Mixture with combustible ingredients.

Development of hazardous combustion gases or vapors possible in the event of fire.

Fire may cause evolution of:

Hydrogen chloride gas, nitrous gases, nitrogen oxides

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

adipic acid 124-04-9

ACGIH Time Weighted Average 5 mg/m³

(TWA):

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0.11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful

substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are performed according to the instructions of the producer. These measures have to be properly documented.

SECTION 9. Physical and chemical properties

Physical state solid

Color white

Odor No strong odor known.

Odor Threshold No information available.

pH No information available.

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density No information available.

Relative density No information available.

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

SECTION 10. Stability and reactivity

Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Acids

Risk of ignition or formation of inflammable gases or vapors with:

combustible substances, Organic Substances

A risk of explosion and/or of toxic gas formation exists with the folllowing substances:

Ammonia, urea, ammonium compounds, Bases

Conditions to avoid

Strong heating (decomposition).

Avoid shock and friction.

Incompatible materials

Mild steel

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure

Eye contact, Skin contact, Ingestion

Acute oral toxicity

Acute toxicity estimate: 1,000 mg/kg

Calculation method

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Pain

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract
Skin irritation
slight irritation

Eve irritation

Mixture causes serious eye irritation.

Specific target organ systemic toxicity - single exposure

May cause respiratory irritation. Target Organs: Respiratory system

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

ACGIH No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

Further information

After uptake:

Nausea, Vomiting

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

troclosene sodium, dihydrate

Acute oral toxicity

LD50 Rat: 550 - 1,600 mg/kg (External MSDS)

Acute dermal toxicity

LD50 Rabbit: > 5,000 mg/kg (External MSDS)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

> Eve irritation Rabbit Result: Corrosive US-EPA

Sensitization

Sensitization test (Magnusson and Kligman): Guinea pig

Result: negative

Method: OECD Test Guideline 406

Germ cell mutagenicity Genotoxicity in vivo Rat

Result: negative

Method: OECD Test Guideline 475

Genotoxicity in vitro Ames test Escherichia coli Result: negative

Method: OECD Test Guideline 471

adipic acid

Acute oral toxicity LD50 Rat: ca. 5,560 mg/kg OECD Test Guideline 401

Acute inhalation toxicity

LC50 Rat: > 7.7 mg/l; 4 h; dust/mist

OECD Test Guideline 403

Acute dermal toxicity

LD50 Rabbit: > 7,940 mg/kg (40% solution) (External MSDS)

Skin irritation

Rabbit

Result: No skin irritation OECD Test Guideline 404

Eye irritation

Rabbit

Result: Severe irritations OECD Test Guideline 405

Sensitization

Maximization Test Guinea pig

Result: negative (External MSDS)

Germ cell mutagenicity Genotoxicity in vitro

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

In vitro mammalian cell gene mutation test

Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 476

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

sodium carbonate

Acute oral toxicity

LD50 Rat: 2,800 mg/kg (ECHA) LDLO human: 714 mg/kg (RTECS)

Acute dermal toxicity LD50 Rabbit: > 2,000 mg/kg

US-EPA

Skin irritation Rabbit

Result: No skin irritation OECD Test Guideline 404

Eye irritation Rabbit

Result: Eye irritation

US-EPA

Germ cell mutagenicity Genotoxicity in vitro Ames test

Escherichia coli Result: negative

(Lit.)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Ingredients

troclosene sodium, dihydrate

Toxicity to fish

LC50 Oncorhynchus mykiss (rainbow trout): 0.25 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 0.28 mg/l; 48 h (ECOTOX Database)

Toxicity to algae

EC50 algae: > 5,000 mg/l; 96 h

OECD Test Guideline 201

Toxicity to bacteria

NOEC activated sludge: 2,700 mg/l; 3 h

OECD Test Guideline 209

Toxicity to fish (Chronic toxicity)

NOEC: 756 mg/l; 28 d

(ECHA)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

> Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) Daphnia magna (Water flea): 2,600 mg/l; 21 d

OECD Test Guideline 211

Biodegradability 4 %: 60 d OECD Test Guideline 306

adipic acid

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 97 mg/l; 96 h (ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates LC50 Daphnia magna (Water flea): 46 mg/l; 48 h OECD Test Guideline 202

EC50 Daphnia magna (Water flea): 86 mg/l; 48 h OECD Test Guideline 202

Toxicity to algae

static test ErC50 Pseudokirchneriella subcapitata (green algae): 59 mg/l; 72 h OECD Test Guideline 201

static test NOEC Pseudokirchneriella subcapitata (green algae): 41 mg/l; 72 h

OECD Test Guideline 201

Toxicity to bacteria

EC50 Pseudomonas putida: 92 mg/l; 17 h

DIN 38412

static test EC50 activated sludge: 7,911 mg/l; 3 h

OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC Daphnia magna (Water flea): 6.3 mg/l; 21 d

OECD Test Guideline 211

Biodegradability 100 %; 28 d OECD Test Guideline 301B Readily biodegradable.

Biochemical Oxygen Demand (BOD) 598 mg/g (5 d) (IUCLID)

Theoretical oxygen demand (ThOD) 1,423 mg/g (IUCLID)

Ratio BOD/ThBOD BOD5 36 % (Lit.)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

Partition coefficient: n-octanol/water log Pow: 0.081 (25 °C)
OECD Test Guideline 107
Bioaccumulation is not expected. (IUCLID)

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

sodium carbonate

Toxicity to fish

static test LC50 Lepomis macrochirus (Bluegill sunfish): 300 mg/l; 96 h (ECHA)

Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 Ceriodaphnia dubia (water flea): 220 - 227 mg/l; 48 h

US-EPA

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water Not applicable

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (DICHLOROISOCYANURIC ACID SODIUM SALT

DIHYDRATE)

Class 9
Packing group III
Environmentally hazardous --

Air transport (IATA)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (DICHLOROISOCYANURIC ACID SODIUM SALT

DIHYDRATE)

Class 9
Packing group III
Environmentally hazardous -Special precautions for user no

Sea transport (IMDG)

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (DICHLOROISOCYANURIC ACID SODIUM SALT

DIHYDRATE)

Class 9
Packing group III
Environmentally hazardous -Special precautions for user
EmS F-A S-F

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ingredients

adipic acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Ingredients

adipic acid

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

Ingredients

troclosene sodium, dihydrate adipic acid

Pennsylvania Right To Know

Ingredients

troclosene sodium, dihydrate adipic acid

New Jersey Right To Know

Ingredients

troclosene sodium, dihydrate adipic acid

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA: Not Listed on TSCA inventory. For Research and Development

Use only. Not For Manufacturing or Commercial Purposes.

DSL: This product contains one or several components that are not on

the Canadian DSL nor NDSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms





Signal Word Warning

Hazard Statements

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

Precautionary Statements

Prevention

P273 Avoid release to the environment.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 665133 Version 2.0

Product name EfferSan Effervescent Tablets Qty 24

lenses, if present and easy to do. Continue rinsing.

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Millipore Ref. 5874316024

Revision Date12/06/2017

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.